



## Department of Health and Environment

September 9, 1993

Robert C. Harder, Secretary

Mr. Steven M. Keiter Facility Manager Hydrocarbon Recyclers, Inc. 2549 North New York Wichita, Kansas 67219

Re:

Hazardous Waste Compliance Inspection EPA Identification Number KSD007246846

Dear Mr. Keiter:

I have reviewed the response letter dated August 23, 1993, from Mr. Ron Robertson, Facility Compliance Officer, which addresses the one violation cited during my June 30, 1993 inspection and which also addresses a number of concerns regarding your facility.

Based on the information contained in the response, your facility is now considered in compliance to state hazardous waste regulations relative to the inspection.

## **Additional Comment**

The regulatory status of the scrap metal tank system located in area D400 of building D has been appropriately addressed by Mr. Steve Broslavick, Hazardous Waste Section, KDHE, Topeka. Mr. Broslavick's letter addressed to you and dated September 3, 1993 provides the department's interpretation of the status of the system and the regulatory requirements for the system.

This issue was inadvertently omitted from the additional comments section of my original inspection letter dated July 29, 1993. Mr. Broslavick's letter will be filed as an addendum to the inspection of June 30, 1993.

Thank you for your cooperation with the hazardous waste management program. If you have any questions regarding the inspection or this letter, call me at (316) 838-1071.

Respectfully,

Gilbert L. Perez

Waste Programs Section

Bureau of District Operations

GLP:HRI93.Fin

pc:

John Mitchell, BWM, Topeka

Ron Smith, BWM, Topeka

SCD File

R00001191
RCRA Records Center



Treatment & Recovery Services

Gilbert L. Perez
Waste Management Programs
Bureau of District Operations
Kansas Department of Health and Environment

August 23, 1993

Re:

Hazardous Waste Compliance Inspection on June 30, 1993

Dear Mr. Perez:

Your letter of July 29 indicated the following issue of alleged non compliance:

Land Disposal Restriction (LDR) Notice. the LDR associated with Manifest #02877 dated April 13, 1993, did not display the manifest document number as required by 40 CFR 268.7, as referenced by K.A.R. 28-31-14.

This deficiency was corrected on June 30, 1993.

Specific training and document review procedures have been implemented to ensure that LDR forms display the associated manifest document number.

In response to your additional comments:

Documentation has been received from the generators removing the incorrect Waste 9 Number U151 from metallic Mercury wastes stored at this facility. This material was shipped to an approved facility for disposal today, August 23.

Per our discussion on June 30, facility inspectors have been instructed to sign their full name on the first page of each inspection log, and may sign or initial subsequent pages.

Tank 15C has been repaired, and is in the process of certification in accordance with Clark

New construction in buildings I and J is progressing on schedule. We will notify Mr. Broslavick as completion times approach.

Sincerely

**Ronald Robertson** 

**Facility Compliance Officer** 

Hydrocarbon Recyclers, Inc. of Wichita
2549 North New York • Wichita, Kansas 67219 • 316/268-9490 • Fax 316/268-9418



atment & Recovery Services

January 8, 1993

Teresa Hansen
Inspection and Enforcement Section
Bureau of Waste Management
Kansas Department of Health and Environment
South Central District Office
1919 N. Amidon, Suite 130
Wichita, KS 67203

Post-It™ brand fax transmitte	al memo 7671 # at account	7
To Ron Smith	From	
co. KD HF	co. Louis	
Dept. Prain	Phone # \$ 2 8 - 100 1	
Fax # 291, - 1598	Fax #	

USPCI 8-23-93 USPCI Sugarse

Re:

Hydrocarbon Recyclers, Inc. of Wichita (HRIW) Disposal of Mercury Waste

Dear Ms. Hansen

Your letter dated December 16, 1992 makes reference to mercury wastes stored at our facility. As you know, very few outlets exist which manage elemental mercury wastes, thus disposal is rather difficult. One such permitted and approved recycling outlet is Bethlehem Apparatus of Bethlehem, Pennsylvania. Unfortunately, according to Bethlehem's state approval, they are not permitted to handle the listed waste code, U151, and accept only characteristic D008 wastes.

Cartain wastes in storage at HRIW have been classified as both U151 and D009, although the use of the "U" listing is questionable in light of the source of generation. Regardless, the generator insists that HRIW accept the waste codes as such.

For purposes of shipping the materials from HRIW to be reclaimed at an approved facility, and according to the definition of solld waste found in 40 CFR 261.2(c)(3) Table 1, commercial chemical products listed in 40 CFR 261.33 (such as U151) are not solld wastes when reclaimed. It would therefore follow that the material is not a hazardous waste when it is to be reclaimed, and the U151 code does not apply. Since the U151 code does not apply, the material may then be shipped to Bethlehem Apparatus for reclamation as an exempt material, or conservatively as D009.

HRIW believes this to be an accurate reading of the definition of solid waste and a legal and plausible way to ship the material to a reputable recycling facility where the mercury may be processed to recover a useable product.

Due to the fact that this reclassification causes a change in the normal "cradle to grave" tracking of this waste stream we ask for your written concurrence with this procedure. As always, HRIW will be pleased to submit any additional information you may need. Please call myself, or Russell Zora at (816) 531-6235.

Sincerely

Ronald Robertson

Facility Compliance Officer



## Hazardous Waste Compliance Monitoring and Enforcement Log

RECEIVED

SEP 2 1 1993 SQ() KG ( ) GEN (X) TSF & LDF() HANDLER WASTE MANAGEMENT) UOM ( ) HWM() HWB() Hydrocarbon Recyclers, Inc HANDLER NAME: 2549 North New York New Delete Delete **EVALUATION** Person 6 LP 93 06 30 Agency S Reason 0 / Type 9 Areas of Evaluation (EV - Evaluted, NE - Not Evaluated, NA - Not Applicable) Treatment/Storage/Disposal Facility Other Transporter Generator DCH EV DMC EV CAS GPT EV DPP **DGW** GER EV TGR **FEA** DMR 14 DSI DCL 6 DIN TMR GRR GGR ILD DOR DTR DLB DCP EN TOR GSC GLB DTT DOT DLF DFR TRR GSQ **GMR DWP** DPB DLT DGS E TWD GOR IN COMPLIANCE -93 INSP. COMMENTS Link to: **VIOLATION #** Unk to: VIOLATION # Comments Change New Change Delete Comments Number Agency Class Number Agency SIR S DLB S Regulation Citation: 28-31-1 Regulation Citation: Returned to Compliance **Date Determined** Returned to Compliance Date Determined Scheduled: Scheduled: Actual: Actual: VIOLATION # Link to: VIOLATION # Comments Change Type Ares Number Agency Number Agency S S Regulation Citation: Regulation Citation: Returned to Compliance **Date Determined** Returned to Compliance **Date Determined** Scheduled: Scheduled: Actual: Actual:

## Hazardous Waste Compliance Monitoring and Enforcement Log

FORM B

ID Number: Handler Name:				
VIOLATION # Link to:  New Change Delete Comments	VIOLATION # Link to: Comments Comments			
Agency Number Area Class Priority Type  S	Agency Number Area Class Priority Type  S			
Date Determined Returned to Compliance	Date Determined Returned to Compliance			
Scheduled: MM DD YY Actual:   Actual:	MM DO YY Scheduled: MM DO YY Actual:			
VIOLATION # Link to: Comments Comments	VIOLATION # Link to: Comments Comments			
Agency Number Area Class Priority Type  S  Regulation Citation:	Agency Number Area Class Priority Type  S			
Date Determined Returned to Compliance	Date Determined Returned to Compliance			
Scheduled: MM DD YY  Actual: MM DD YY	MM DO YY Scheduled: MM DO YY Actual:			
VIOLATION # Link to:	VIOLATION # Link to: Comments Comments			
Agency Number Area Class Priority Type  S  Regulation Citation:	Agency Number Area Class Priority Type  S			
Date Determined 4 Returned to Compliance	Date Determined Returned to Compliance			
MM DD YY Scheduled:	MM DO W Scheduled: MM DO W Actual:			
ENFORCEMENT New Change Delete				
Date 930727 Number Agency S Type District Person District Person				
Date 930729 Number Agency S				
YY MM DO	Link to:			